Admitted Patient Transitional Order Sheet

	Medical Resident Covered Patients	S
ALLERGIES:		
Date & Time	Other Orders	Prescription and Infusion Orders
	Diagnosis:	IV Order:
	Activity:	
	Diet:	
	Other Orders:	
	Call medical resident on call (beeper 1700) when patient arrives on floor to examine patient and for further orders	Pain Medication: First Dose Only:
	For Telemetry Patients	
	 Notify medical resident on call or code team immediately for any life-threatening dysrhythmia, change in condition, or performance of any of the following orders: Stat defibrillation of V. Fib or pulseless v. tach., as per ACLS guidelines. Cardiovert v. tach. If unstable and unconscious as per ACLS guidelines. For sustained v. tach. of 30 seconds or more: Lidocaine 1 mg/kg over 2 min and then: Lidocaine 2 GM in D5W 250 ml IV at 2 mg/min. For symptomatic bradycardia: Attach pacemaker pads and start pacemaker at 30 MA setting with rate of 50 beats per minute. Increase MA setting upward until capture is attained. Have atropine 0.5 mg at bedside. If pacemaker unable to capture or pacemaker is not immediately available, give 0.5 mg atropine IV push. For angina: Stat EKG then nitroglycerin gr 1/150 SL stat if not hypotensive. Supplemental oxygen should be given for all the above conditions, to maintain oxygen saturation between 95% and 100%. If patient has COPD, maintain oxygen saturati between 90% and 95%. 	
	Signature:	
Source: Englewood	I (NJ) Hospital and Medical Center.	