

Clarian West Medical Center

Adult ED Nursing Protocol: Chest Pain

The person initiating entry should write <u>legibly</u>, date the form (using Mo / Day / Yr), enter time, <u>siqn</u>, and indicate their title.

Until signed, these are for general information and reference only. They should not be relied on as advice for a particular patient or situation or as a substitute for the independent professional judgment of the physician.

Date	Time	Physician Orders			
		☑ Initiate ED Adult Chest Pain Nursing Protocol			
		☑ Cardiac Monitor			
		☑ Vital Signs Stat & PRN			
		☑ BP Bilateral Upper Extremities Stat			
		☑ Continuous Oxygen Saturation			
		Maintain Oxygen Saturation 94% or greater.			
		☐ Oxygen NC for Oxygen Saturation less than 94%			
		☐ Mask Non Rebreathing for Saturation less than 94%			
		☐ If history of COPD, 2 L/min per nasal cannula for Oxygen Saturation less than 94%			
		☑ EKG 12 Lead Stat, MD to read and initial. Place in MD hands			
		Unit Secretary to pull EKGs from Muse or CareWeb			
		✓ PA & Lateral Chest X-ray Stat			
		☐ Portable Chest X-ray Stat for Active Chest Pain or Unstable Vital Signs			
		☑ Saline Lock IV			
		Aspirin: Supplement amount taken prior to arrival to equal total of 324mg			
		Aspirin 81mg, 1 Tabs Chewable, Stat, chew and swallow: UNLESS ALLERGIC TO ASPIRIN.			
		Aspirin 81mg, 2 Tabs Chewable, Stat, chew and swallow: UNLESS ALLERGIC TO ASPIRIN.			
		Aspirin 81mg, 3 Tabs Chewable, Stat, chew and swallow: UNLESS ALLERGIC TO ASPIRIN. Aspirin 81mg, 4 Tabs Chewable, Stat, chew and swallow: UNLESS ALLERGIC TO ASPIRIN.			
		Hold NitroGLYCerin if patient took a phosphodiesterase-5 enzyme inhibitor. sildenafil (Viagra®, Revatio®, tadalafil (Cialis®), vardenafil (Levitra®)			
		NitroGLYCerin 0.4 mg, Tablet, Sublingually, Q5min, PRN, for 3 Doses for BP Systolic Greater Than 100. Hold if patient took a phosphodiesterase-5 enzyme inhibitor. sildenafil (Viagra®, Revatio®, tadalafil (Cialis®), vardenafil (Levitra®) Include pre-hospital doses in the total.			
		Draw blood for labs: 1 Lavender, 2 Light Green, and 1 Blue top tube and Hold.			
1	1				
	_	ure Printed Name Pager			
Entered b	oy:	Order Entry Verified			



Sent to Pharmacy by: ___

PHYSICIAN'S ORDERS

___ (Scan, Tube / Fax / Copy) Date _

CW-50167 Page 1 of 2 Medical Record - Original Pharmacy - Copy

Time

00000 CW-50167 (02/02/09) Page 2 of 2



Clarian West Medical Center

Adult ED Nursing Protocol: Chest Pain

The person initiating entry should write $\underline{\text{legibly}}$, date the form (using Mo / Day / Yr), enter time, $\underline{\text{sign}}$, and indicate their title.

Until signed, these are for general information and reference only. They should not be relied on as advice for a particular patient or situation or as a substitute for the independent professional judgment of the physician.

Date	Time	Physician Orders		
		☑ CBC with Diff/ Platelets		
		☑ Troponin		
		☑ CPKMB		
		☑ BMP		
		Pain Assessment Level (Scale 1-10)		
		Instruct patient to notify nurse of any changes or any other symptoms.		
		☑ NPO		
		☑ Bed rest		

Practitioner Signature		Printed Name		Pager
Entered by:	Order Entry Verified			
Sent to Pharmacy by:	(Scan. Tube / Fax / Copy)	Date	Time	



00000 CW-50168 (02/06/08) Page 1 of 2



Clarian West Medical Center

Adult ED Nursing Protocol: Respiratory Distress

The person initiating entry should write <u>legibly</u>, date the form (using Mo / Day / Yr), enter time, <u>sign</u>, and indicate their title.

Until signed, these are for general information and reference only. They should not be relied on as advice for a particular patient or situation or as a substitute for the independent professional judgment of the physician.

Date	Time	Physician Orders			
		✓ Initiate Respiratory Distress nursing protocol			
		☑ Continuous Oxygen Saturation.			
		Maintain Oxygen Saturation at 94% or Greater.			
		☐ Oxygen NC for Oxygen Saturation less than 94%			
		☐ Mask Non Rebreathing for Saturation less than 94%			
		☐ If history of COPD, 2 L/min per nasal cannula for Oxygen Saturation less than 94%			
		☐ If on home O2, put on home rate Nasal Cannula and add 1 Liter.			
		✓ Vocera Respiratory Therapy			
		☐ Albuterol 5 mg, Neb Inhal, Inhalation SOLN, Once for wheezing unless allergic.			
		☐ Atrovent 0.5 mg, Neb Inhal, Inhalation SOLN, Once for wheezing unless allergic.			
		☑ Vital Signs Stat			
		PA & Lateral Chest X-ray Stat			
		☐ Portable Chest X-ray Stat for Active Chest Pain or Unstable Vital Signs			
Donatii a	O' t	Print I Marca			
	ŭ	Printed Name Pager Order Entry Verified			
	-	: (Scan, Tube / Fax / Copy) Date Time			



00000 CW-50168 (02/06/08) Page 2 of 2



Clarian West Medical Center

Adult ED Nursing Protocol: Respiratory Distress

The person initiating entry should write Legibly, date the form (using Mo / Day / Yr), enter time, sign, and indicate their title.

Until signed, these are for general information and reference only. They should not be relied on as advice for a particular patient or situation or as a substitute for the independent professional judgment of the physician.

Date	Time	Physician Orders	

Practitioner Signature	Printed Name		Pager	
Entered by:		Order Entry Verified		
Sent to Pharmacy by:	(Scan, Tube / Fax / Copy)	Date	Time	

