


Sample Pain Assessment Documentation

The Pain Assessment has been added to multiple forms and areas within the ED documentation. Via FirstNet the Pain Assessment can be accessed via Ad Hoc, Triage, Nursing Actions and Procedures, and the Depart Process within the Depart Assessment.



In some forms the pain assessment will open based on a question that has been made required every time the form opens. The nurse must document if the patient has or has no pain or if it was not assessed at the time.

ICD-9 Depress Process					
Name: BERGOLLO, AL					
PCP: <No Data>					
Templates	Actions				
☐	FirstNet Set Events				
☐	Prescriptions				
☐	Patient Education				
☐	Request Discharge				
☐	Depart Assessment				
☒	Discharge Vital Signs				
☐	Admit/Checkout				
☐	Discharge				

ED Discharge Assessment - BERGOLLO, ALEXANDER							
*Performed on: 02/14/2008				1109		EST	
ED Discharge Assessment							
Pain Assessment	Vitals	Orthostatics	Valuable/Belongings	IV/INT Activity			
Pain Intensity							
Pain ☒ Yes ☐ No ☐ Not assessed				Vital Signs ☐ Yes ☐ No ☐ Not assessed			
Valuable/Belongings ☐ NA ☐ With patient ☐ Sent home				IV/INT Activity ☐ Yes ☐ No			
Admitted Patient To				Report Endorsed To		Accompanied By	
 				 		☐ Spouse ☐ Daughter ☐ Family member	
AMA/LWBS				Instructions Given To		Mode of Transport	
Transport Service							

Documenting
“Yes” to Pain
Symptoms will
open the section
for intensity

August 2009 / Online Supplement to ED NURSING®

Pain Intensity - Z2TEST, ACTIVE

FLACC Scale

Face	Legs	Activity
☐ No particular expression or smile (0) ☐ Occasional grimace or frown, withdrawn, disinterested (1) ☐ Frequent to constant quivering chin, clenched jaw (2)	☐ Normal position or relaxed (0) ☐ Uneasy, restless, tense (1) ☐ Kicking, or legs drawn up (2)	☐ Lying quietly, normal position, moves easily (0) ☐ Squirming, shifting back and forth, tense (1) ☐ Arched, rigid or jerking (2)

Cry

☐ No cry, awake or asleep (0)
☐ Moans or whimpers, occasional complaint (1)
☐ Crying steadily, screams or sobs, frequent complaints (2)

Consolability

☐ Content, relaxed (0)
☐ Reassured by occasional touching, hugging or being talked to, distractable (1)
☐ Difficult to console or comfort (2)

FLACC Score

NIPS Scale

Facial Expression	Cry	Breathing Patterns	Arms	Legs
☐ Relaxed ☐ Grimace	☐ No cry ☐ Whimper ☐ Vigorous crying	☐ Relaxed ☐ Change in breathing	☐ Restrained ☐ Relaxed ☐ Flexed ☐ Extended	☐ Restrained ☐ Relaxed ☐ Flexed ☐ Extended

State of Arousal

☐ Sleeping
☐ Awake
☐ Fussy

NIPS Score

ED Pain Assessment - ZZTEST, ACTIVE

By: Strausser, Linda

Performed on: 02/14/2008 11:05 EST

Pain Assessment

Pain Intensity

Location of Pain

☐ Abdomen
☐ Chest
☐ Lower back
☐ Upper back
☐ Groin
☐ Neck
☐ Epigastric
☐ Jaw
☐ Generalized

☐ Head
☐ Suprapubic
☐ Ankle
☐ Pelvic
☐ Wrist
☐ Bladder
☐ Buttock, left
☐ Ear
☐ Elbow

☐ Eye
☐ Flank
☐ Foot
☐ Frontal
☐ Hand
☐ Hip
☐ Knee
☐ Lower arm
☐ Lower leg

☐ Mouth
☐ Nose
☐ Occipital
☐ Parietal
☐ Rectal
☐ Shoulder
☐ Temporal
☐ Upper arm
☐ Upper leg

☐ Midsternal
☐ Perineal
☐ Other:

Pain Laterality

☐ Midline
☐ Bilateral
☐ Left
☐ Right

Abdominal Quadrant

☐ All quadrants
☐ Left upper quadrant
☐ Right upper quadrant
☐ Left lower quadrant
☐ Right lower quadrant
☐ Other

Pain Negatively Impacts

☐ Appetite
☐ Concentration
☐ Daily life

☐ Emotions
☐ Relationships
☐ School performance
☐ Sleep
☐ Work
☐ Other:

Associated Symptoms

☐ None
☐ Nausea
☐ Palpitations
☐ Shortness of breath
☐ Sweating
☐ Vomiting

Alleviating Factors

☐ None
☐ Assistive devices
☐ Cold therapy
☐ Deep breathing

☐ Exercise
☐ Immobilization
☐ Massage
☐ Medications
☐ Moist heat
☐ Repositioning
☐ Other:

Aggravating Factors

☐ None
☐ Breathing
☐ Movement
☐ Palpation
☐ Other:

Interventions Implemented

☐ Cold
☐ Heat
☐ Medications

☐ Repositioning
☐ Rest
☐ Diversion
☐ Music
☐ Imagery
☐ Prayer
☐ Patient controlled analgesia
☐ Other:

Start | Inbox - Microsoft Ou... | Document1 - Microso... | CernerWorks - Micro... | FirstNet Organizer fo... | ZZTEST, ACTIVE - 4... | In Progress 11:05 AM

Source: Saint Peter's University Hospital, New Brunswick, NJ.